



**GATOR CLEAN EFFLORESCENCE CLEANER  
FOR CONCRETE PAVER & NATURAL STONES**

SDS Revision Date (dd/mm/yyyy): 07/01/2019

# SAFETY DATA SHEET

## SECTION 1 - IDENTIFICATION

**Product name :** Gator Clean Efflorescence Cleaner  
**Product code :** -  
**Other means of identification :** Liquid.

**Relevant identified uses of the substance or mixture and uses advised against**

**Identified uses :** Acid cleaning solution.  
**Supplier :** Alliance Designer Products Inc.  
225 Blvd Bellerose West  
Laval, Quebec, Canada H7L 6A1  
www.alliancegator.com - Email : info@alliancegator.com  
Canada : 1-450-624-1611  
**24 hour Emergency Phone :** Canada : 1-613-996-6666 (Canutec)  
United States : 1-800-424-9300 (Chemtrec)

## SECTION 2 - HAZARDS IDENTIFICATION

**OSHA/HCS status :** This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

### DANGER



**Classification of the substance or mixture :** ACUTE TOXICITY (inhalation) - Category 1  
SKIN CORROSION - Category 1  
SERIOUS EYE DAMAGE - Category 1

**Hazard statements :** H330 - Fatal if inhaled..  
H314 - Causes severe skin burns and eye damage.

### Precautionary statements

**General :**

**Prevention :** Wear protective gloves. Wear eye or face protection. Wear protective clothing. Keep away from heat. - No smoking. Keep away from clothing, incompatible materials and combustible materials. Take any precaution to avoid mixing with combustibles and other incompatible materials. Wash hands thoroughly after handling.

**Response :** IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or physician. IF SWALLOW ED: Immediately call a POISON CENTER or physician. Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. Immediately call a POISON



**Alliance Designer Products Inc.**  
225 Blvd. Bellerose West, Laval, Quebec, Canada H7L 6A1  
Tel.: 450 624-1611 Fax : 450 624-1622 Toll free : 1 866-212-1611  
www.alliancegator.com - Email : info@alliancegator.com



## GATOR CLEAN EFFLORESCENCE CLEANER FOR CONCRETE PAVER & NATURAL STONES

SDS Revision Date (dd/mm/yyyy): 07/01/2019

CENTER or physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.

**Storage :** Store locked up.

**Disposal :** Dispose of contents and container in accordance with all local, regional, national and international regulations.

### SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

**Substance/mixture:** Mixture

Ingredient name	%	CAS number
nitric acid	13 - 30	7697-37-2
Sulfamic acid	7 - 13	5329-14-6

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

**There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.**

Occupational exposure limits, if available, are listed in Section 8.

### SECTION 4 - FIRST AID MEASURES

#### DESCRIPTION OF NECESSARY FIRST AID MEASURES

**Eye contact :** Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.

**Inhalation :** Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

**Skin contact :** Get medical attention immediately. Call a poison center or physician. Wash contaminated skin with soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.

**Ingestion :** Get medical attention immediately. Call a poison center or physician. Wash out mouth



## GATOR CLEAN EFFLORESCENCE CLEANER FOR CONCRETE PAVER & NATURAL STONES

SDS Revision Date (dd/mm/yyyy): 07/01/2019

### SECTION 4 - FIRST AID MEASURES (CONT.)

with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

### MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED

#### POTENTIAL ACUTE HEALTH EFFECTS

Eye contact :	Causes serious eye irritation.
Inhalation :	Fatal if inhaled.
Skin contact :	Causes severe burns.
Ingestion :	No known significant effects or critical hazards.

#### OVER-EXPOSURE SIGNS/SYMPTOMS

Eye contact:	Adverse symptoms may include the following: pain watering redness
Inhalation:	No specific data.
Skin contact:	Adverse symptoms may include the following: pain or irritation redness blistering may occur
Ingestion:	Adverse symptoms may include the following: stomach pains

### INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED, IF NECESSARY

Notes to physician :	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments :	No specific treatment.
Protection of first-aiders :	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

### SEE TOXICOLOGICAL INFORMATION (SECTION 11)

### SECTION 5 - FIRE FIGHTING MEASURES

#### EXTINGUISHING MEDIA



Alliance Designer Products Inc.  
225 Blvd. Bellerose West, Laval, Quebec, Canada H7L 6A1  
Tel.: 450 624-1611 Fax : 450 624-1622 Toll free : 1 866-212-1611  
www.alliancegator.com - Email : info@alliancegator.com



## GATOR CLEAN EFFLORESCENCE CLEANER FOR CONCRETE PAVER & NATURAL STONES

SDS Revision Date (dd/mm/yyyy): 07/01/2019

- Suitable extinguishing media :** Use an extinguishing agent suitable for the surrounding fire.
- Unsuitable extinguishing media :** None known.
- Specific hazards arising from the chemical :** In a fire or if heated, a pressure increase will occur and the container may burst.
- Hazardous thermal decomposition products :** Decomposition products may include the following materials:  
nitrogen oxides  
sulfur oxides
- Special protective actions for fire-fighters :** Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- Special protective equipment for fire-fighters :** Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### SECTION 6 - ACCIDENTAL RELEASE MEASURES

#### PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

- For non-emergency personnel :** No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
- For emergency responders :** If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".
- Environmental precautions :** Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

#### METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

- Small spill :** Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Do not absorb in sawdust or other combustible material. It may lead to a fire risk when it dries out. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
- Large spill :** Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Do not absorb in sawdust or other combustible material. It may lead to a fire risk when it dries out. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with noncombustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). The spilled material may be neutralized with sodium carbonate,



### GATOR CLEAN EFFLORESCENCE CLEANER FOR CONCRETE PAVER & NATURAL STONES

SDS Revision Date (dd/mm/yyyy): 07/01/2019

sodium bicarbonate or sodium hydroxide. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## SECTION 7 - HANDLING AND STORAGE

### PRECAUTIONS FOR SAFE HANDLING

#### Protective measures :

Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from clothing, incompatible materials and combustible materials. Keep away from alkalis. Keep away from heat. Empty containers retain product residue and can be hazardous. Do not reuse container.

#### Advice on general occupational hygiene :

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

#### Conditions for safe storage, including any incompatibilities :

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Separate from alkalis. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

## SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

### CONTROL PARAMETERS

#### Occupational exposure limits

#### Ingredient name

#### Exposure limits

nitric acid

#### ACGIH TLV (United States, 4/2014).

TWA: 2 ppm 8 hours.  
TWA: 5.2 mg/m<sup>3</sup> 8 hours.  
STEL: 4 ppm 15 minutes.  
STEL: 10 mg/m<sup>3</sup> 15 minutes.

#### OSHA PEL 1989 (United States, 3/1989).

TWA: 2 ppm 8 hours.  
TWA: 5 mg/m<sup>3</sup> 8 hours.  
STEL: 4 ppm 15 minutes.  
STEL: 10 mg/m<sup>3</sup> 15 minutes.

#### NIOSH REL (United States, 10/2016).

TWA: 2 ppm 10 hours.  
TWA: 5 mg/m<sup>3</sup> 10 hours.



#### Alliance Designer Products Inc.

225 Blvd. Bellerose West, Laval, Quebec, Canada H7L 6A1  
Tel.: 450 624-1611 Fax : 450 624-1622 Toll free : 1 866-212-1611  
www.alliancegator.com - Email : info@alliancegator.com



## GATOR CLEAN EFFLORESCENCE CLEANER FOR CONCRETE PAVER & NATURAL STONES

SDS Revision Date (dd/mm/yyyy): 07/01/2019

STEL: 4 ppm 15 minutes.  
STEL: 10 mg/m<sup>3</sup> 15 minutes.

### OSHA PEL (United States, 6/2016).

TWA: 2 ppm 8 hours.  
TWA: 5 mg/m<sup>3</sup> 8 hours.

Sulfamic acid

None.

**Appropriate engineering controls :** Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

**Environmental exposure controls :**

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### INDIVIDUAL PROTECTION MEASURES

**Hygiene measures :**

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection :**

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

### SKIN PROTECTION

**Hand protection :**

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection :**

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Other skin protection :**

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection :**

Based on the hazard and potential for exposure, select a respirator that meets the



### GATOR CLEAN EFFLORESCENCE CLEANER FOR CONCRETE PAVER & NATURAL STONES

SDS Revision Date (dd/mm/yyyy): 07/01/2019

appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

#### SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

##### APPEARANCE

Physical state :	Liquid.
Colour :	Clear. Yellow.
Odour :	Not available.
Odor threshold	Not available.
pH :	1.9
Melting point :	Not available.
Boiling point :	100°C (212°F)
Flash point :	Not available.
Relative density :	1.146
Viscosity :	Not available.

#### SECTION 10 - STABILITY AND REACTIVITY

Reactivity :	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability :	The product is stable.
Possibility of hazardous reactions :	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid :	No specific data.
Incompatible materials:	Attacks many metals producing extremely flammable hydrogen gas which can form explosive mixtures with air. Reactive or incompatible with the following materials: alkalis

**Hazardous decomposition products :** Under normal conditions of storage and use, hazardous decomposition products should not be produced.

#### SECTION 11 - TOXICOLOGICAL INFORMATION

##### INFORMATION ON TOXICOLOGICAL EFFECTS

##### ACUTE TOXICITY

Product/ingredient name	Result	Species	Dose	Exposure
nitric acid	LC50 Inhalation Vapor	Rat	130 mg/kg	4 hours
Sulfamic acid	LD50 Oral	Rat	3160 mg/kg	-

##### IRRITATION/CORROSION

Product/ingredient name	Result	Species	Score	Exposure	Observation
Sulfamic acid	Eyes - Moderate irritant	Rabbit	-	20 milligrams	-
	Eyes - Severe irritant	Rabbit	-	24 hours 250 Micrograms	-
Sulfamic acid	Skin - Mild irritant	Human	-	120 hours 4 Percent Intermittent	-
	Skin - Severe irritant	Rabbit	-	24 hours 500 milligrams	-





**GATOR CLEAN EFFLORESCENCE CLEANER  
FOR CONCRETE PAVER & NATURAL STONES**

SDS Revision Date (dd/mm/yyyy): 07/01/2019

<b>SENSITIZATION :</b>	No known significant effects or critical hazards.
<b>MUTAGENICITY :</b>	No known significant effects or critical hazards.
<b>CARCINOGENICITY</b>	No known significant effects or critical hazards.
<b>REPRODUCTIVE TOXICITY</b>	No known significant effects or critical hazards.
<b>TERATOGENICITY</b>	No known significant effects or critical hazards.
<b>SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE)</b>	No known significant effects or critical hazards.
<b>SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE)</b>	No known significant effects or critical hazards.
<b>ASPIRATION HAZARD</b>	No known significant effects or critical hazards.
<b>INFORMATION ON THE LIKELY ROUTES OF EXPOSURE</b>	Routes of entry anticipated: Oral, Dermal, Inhalation.

**POTENTIAL ACUTE HEALTH EFFECTS**

<b>Eye contact</b>	:	Causes serious eye damage.
<b>Inhalation</b>	:	Fatal if inhaled.
<b>Skin contact</b>	:	Causes severe burns.
<b>Ingestion</b>	:	No known significant effects or critical hazards.

**SYMPTOMS RELATED TO THE PHYSICAL, CHEMICAL AND TOXICOLOGICAL CHARACTERISTICS**

<b>Eye contact</b>	:	Adverse symptoms may include the following: pain watering redness
<b>Inhalation</b>	:	No specific data.
<b>Skin contact</b>	:	Adverse symptoms may include the following: pain or irritation redness blistering may occur
<b>Ingestion</b>	:	Adverse symptoms may include the following: stomach pains

**DELAYED AND IMMEDIATE EFFECTS AND ALSO CHRONIC EFFECTS FROM SHORT AND LONG TERM EXPOSURE**

**SHORT TERM EXPOSURE**

Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.

**LONG TERM EXPOSURE**

Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.





**GATOR CLEAN EFFLORESCENCE CLEANER  
FOR CONCRETE PAVER & NATURAL STONES**

SDS Revision Date (dd/mm/yyyy): 07/01/2019

**POTENTIAL CHRONIC HEALTH EFFECTS**

General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

**NUMERICAL MEASURES OF TOXICITY****ACUTE TOXICITY ESTIMATES**

Route	ATE value
Oral	3436 mg/kg
Inhalation (vapors)	0,1355 mg/l

**SECTION 12 - ECOLOGICAL INFORMATION****TOXICITY**

Product/ingredient name	Result	Species	Exposure
nitric acid	Acute LC50 180000 µg/l Marine water	Crustaceans - Carcinus maenas - Adult	48 hours
	Acute LC50 72 ppm Fresh water	Fish - Gambusia affinis - Adult	96 hours
Sulfamic acid	Acute LC50 14200 µg/l Fresh water	Fish - Pimephales promelas	96 hours

**PERSISTENCE AND DEGRADABILITY**

Not available.

**BIOACCUMULATIVE POTENTIAL**

Product/ingredient name	Log <sub>Pow</sub>	BCF	Potential
nitric acid	-0.21	-	low
Sulfamic acid	0.101	-	low

**MOBILITY IN SOIL**

Soil/water partition

coefficient (K<sub>oc</sub>) Not available**OTHER ADVERSE EFFECTS :** No known significant effects or critical hazards.**SECTION 13 - DISPOSAL CONSIDERATIONS**

**Disposal methods :** The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered








**GATOR CLEAN EFFLORESCENCE CLEANER  
FOR CONCRETE PAVER & NATURAL STONES**

SDS Revision Date (dd/mm/yyyy): 07/01/2019

when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

**SECTION 14 - TRANSPORT INFORMATION**

	DOT Classification	TDG Classification	Mexico Classification	IMDG	IATA
<b>UN number</b>	UN3264	UN3264	UN3264	UN3264	UN3264
<b>UN proper shipping name</b>	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid, Sulfamic acid)	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid, Sulfamic acid)	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid, Sulfamic acid)	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid, Sulfamic acid)	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid, Sulfamic acid)
<b>Transport hazard class (es)</b>	8 	8 	8 	8 	8 
<b>Packing group</b>	II	II	II	II	II
<b>Environmental hazards</b>	No.	No.	No.	No.	No.

**Additional Information**

**DOT Classification :**

**Reportable quantity** 6117,3 lbs / 2777,3 kg [640,2 gal / 2423,4 L]. Package sizes shipped in quantities less than the product reportable quantity are not subject to the RQ (reportable quantity) transportation requirements.

**TDG Classification:**

Product classified as per the following sections of the Transportation of Dangerous Goods Regulations: 2.40-2.42 (Class 8).

**Special precautions for user :**

**Explosive Limit and Limited Quantity Index 1**

**Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**Transport in bulk according to Annex II of MARPOL and the IBC Code**

Not available.

**SECTION 15 - REGULATORY INFORMATION**

**Canada**

**Canadian NPRI :**

The following components are listed: Nitric acid

**CEPA Toxic substances :**

None of the components are listed.



**Alliance Designer Products Inc.**  
225 Blvd. Bellerose West, Laval, Quebec, Canada H7L 6A1  
Tel.: 450 624-1611 Fax : 450 624-1622 Toll free : 1 866-212-1611  
www.alliancegator.com - Email : info@alliancegator.com



### GATOR CLEAN EFFLORESCENCE CLEANER FOR CONCRETE PAVER & NATURAL STONES

SDS Revision Date (dd/mm/yyyy): 07/01/2019

#### United States

U.S. Federal regulations: TSCA 8(a) CDR Exempt/Partial exemption: Not determined  
Clean Water Act (CWA) 311: nitric acid

Clean Air Act (CAA) 112 regulated toxic substances: nitric acid

Clean Air Act Section 112 : Not listed

(b) Hazardous Air Pollutants (HAPs)

Clean Air Act Section 602 : Not listed

Class I Substances

Clean Air Act Section 602 : Not listed

Class II Substances

DEA List I Chemicals : Not listed

(Precursor Chemicals)

DEA List II Chemicals : Not Listed

(Essential Chemicals)

#### CALIFORNIA PROP. 65

This product does not require a Safe Harbor warning under California Prop. 65.

#### INVENTORY LIST

Canada Not determined.  
China Not determined.  
Europe Not determined.  
United States Not determined.

#### SECTION 16 - OTHER INFORMATION

##### PROCEDURE USED TO DERIVE THE CLASSIFICATION

Classification	Justification
ACUTE TOXICITY (inhalation) - Category 1	Calculation method
SKIN CORROSION - Category 1	On basis of test data
SERIOUS EYE DAMAGE - Category 1	On basis of test data

#### HISTORY

Date of issue/Date of revision : 07-01-2019  
Date of previous issue version : 07-01-2019  
Version : 0.02  
Key to abbreviations : ATE = Acute Toxicity Estimate



Alliance Designer Products Inc.  
225 Blvd. Bellerose West, Laval, Quebec, Canada H7L 6A1  
Tel.: 450 624-1611 Fax : 450 624-1622 Toll free : 1 866-212-1611  
www.alliancegator.com - Email : info@alliancegator.com



**GATOR CLEAN EFFLORESCENCE CLEANER  
FOR CONCRETE PAVER & NATURAL STONES**

SDS Revision Date (dd/mm/yyyy): 07/01/2019

BCF = Bioconcentration Factor  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
IATA = International Air Transport Association  
IBC = Intermediate Bulk Container  
IMDG = International Maritime Dangerous Goods  
LogPow = logarithm of the octanol/water partition coefficient  
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
UN = United Nations

**References** : Not available.

**NOTICE TO READER**

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.